

THERMA TRU[®]
DOORS

YOUR SOURCE FOR
MILLWORK
DISTRIBUTORS
NC.
QUALITY WINDOWS, DOORS & MILLWORK



In Stock Brochure

What you get in a **Therma-Tru® Door System**

by **Millwork Distributors, Inc.**.....

Standard Options

- 4-9/16" Primed Rot-resistant DuraFrame
- Primed Brickmould
- Tru-Defense Adjustable Sill (Mill finish)
(Fixed Sill on MDI Series Doors)
- HP Mull Post on Sidelite Systems
(Provides superior system integrity)
- Kerf applied bronze door bottom (sweep)
- Simulated Brass Ball Bearing Hinges
(Plain Bearing on Traditions and MDI Series)
- Foam Filled Weatherstrip
- Brass Security Strike Plate



Upgrade Options


- Frame Options:
 - Oak
 - Mahogany
 - Fir
 - Clear Pine
- Sill Options:
 - Bronze Tru-Defense Adjustable Sill
 - Brass Tru-Defense Adjustable Sill
 - Tru-Defense Adjustable Sill with Oak Riser
 - Low-Profile (Ramp) Sill
 - Tru-Defense Fixed Sill
 - No Sill
- Security Strike Plate Options:
 - Brushed Nickel
 - Oil-Rubbed Bronze
 - Stainless Steel
- 4 Deadbolt Bore prep options

Clad Frame Options

Maintenance-free Aluminum Clad Entry Door Frames

Standard Clad Frames


- No exposed fasteners
- Does not require painting
- Heavy duty - resists denting
- More durable than vinyl
- Limited lifetime warranty
- Storm door-ready
- Available options:
 - Crownline Profile
 - Brickmould Profile
 - Outswing




Retro Clad Frames

- Perfect for Remodeling Applications
- No exposed fasteners
- Brickmould Nosing (shipped loose)
- Integral Nailing Fin

Available Colors



Hinge Finish Options



Multi-Point Hardware Options





Classic-Craft[®]

Mahogany Collection[™]

The Classic-Craft Mahogany Collection allows homeowners to create dramatic entrances that offer the elegance and rich look of Honduran Mahogany graining.

- The look of authentic Honduran Mahogany wood grain
- Built for security and peace of mind, a 4-1/8" lock style constructed with engineered lumber and a hardwood cap runs down the full length of the door
- Engineered for performance, constructed with more fiberglass and structural materials for unparalleled strength
- Designed for authenticity, proportionate construction and panel details combined with our patented AccuGrain[®] technology creates a door indistinguishable from real wood
- Low-E glass now comes standard in all clear glass options for superior energy efficiency



(C) brushed nickel
caming

Longford[™] glass

Granite and seeded glass create an elegant design reminiscent of Gaelic heritage.

Solid Panel



CCM703
(C)
3'0" x 6'8"



CCM60
3'0" x 6'8"



CCM701
3'0" x 6'8"



CCM801
3'0" x 6'8"



Classic-Craft®

American Collection™

With their simple, straightforward lines and many fine architectural details, these door styles evoke a timeless style reflective of America's Craftsman movement of the early 1900s.

- The look of Douglas fir's vertical grains, along with craftsman styling and clean lines
- Built for security and peace of mind, a 4-1/8" lock stile constructed with engineered lumber and a hardwood cap runs down the full length of the door
- Engineered for performance, constructed with more fiberglass and structural materials for unparalleled strength
- Designed for authenticity, proportionate construction and panel details combined with our patented AccuGrain® technology creates a door indistinguishable from real wood
- Low-E glass now comes standard in all clear glass options for superior energy efficiency

dentil shelves



CCADS04



CCADS16

Add an optional 4- or 16-block dentil shelf for a more historically correct door. Both dentil shelves have the same detailed graining and durable fiberglass as the Classic-Craft American Style Collection door.



(D) black nickel caming

Villager™ glass

A geometric-inspired pattern brings together antique colors and hand-blown style for a true artisan look.



CCA232
(D)
3'0" x 6'8"



CCA3402SL
(D)
12" x 6'8"
14" x 6'8"



CCA232 door with CCA3402SL sidelites

Homeward™ glass


Linear shapes exemplify this prairie-style look.



(C) brushed nickel caming



(D) black nickel caming



CCA211
(C,D)
3'0" x 6'8"



CCA231
(D)
3'0" x 6'8"



CCA3401SL
(C,D)
12" x 6'8"
14" x 6'8"



CCA211 door with CCA3401SL sidelites

Clear Low-E Glass with external lite dividers



CCA220
3'0" x 6'8"



CCA230
3'0" x 6'8"



CCA240
3'0" x 6'8"



CCA260
3'0" x 6'8"



CCA3450SL
12" x 6'8"
14" x 6'8"

Clear Low-E Glass



CCA210
3'0" x 6'8"



CCA3400SL
12" x 6'8"
14" x 6'8"



CCA230 door with CCA3400SL sidelites



Classic-Craft® Rustic Collection™

A perfect complement to American Southwest or tuscan-inspired architecture, these traditional entry doors are available with equally inspiring decorative glass and hardware.

- Old-World Mahogany graining for a classic look
- Built for security and peace of mind, a 4-1/8" lock style constructed with engineered lumber and a hardwood cap runs down the full length of the door
- Engineered for performance, constructed with more fiberglass and structural materials for unparalleled strength
- Designed for authenticity, proportionate construction and panel details combined with our patented AccuGrain® technology creates a door indistinguishable from real wood
- Low-E glass now comes standard in all clear glass options for superior energy efficiency

Solid Panel and Clear Glass



CCR040
3'0" x 6'8"



CCR200
3'0" x 6'8"



CCR205
3'0" x 6'8"



CCR3400SL
12" x 6'8"
14" x 6'8"

Add clavos and strap hinges

Decorative hardware in an authentic hand-hewn black finish look. Choose from 1-1/4" pyramid clavos and 18" long strap hinges.



Pyramid Clavos
1-1/4"



Strap Hinge
18"



Classic-Craft®

Oak Collection™

The warm, White Oak grain look of these doors rivals that of authentic hardwood and features traditional embossed panels rich in details to match your home's unique style.

- Features true to life, natural White Oak grain
- Built for security and peace of mind, a 4-1/8" lock stile constructed with engineered lumber and a hardwood cap runs down the full length of the door
- Engineered for performance, constructed with more fiberglass and structural materials for unparalleled strength
- Designed for authenticity, proportionate construction and panel details combined with our patented AccuGrain® technology creates a door indistinguishable from real wood
- Low-E glass now comes standard in all clear glass options for superior energy efficiency



(A) brass caming

Arcadia™ glass

Gray-tinted baroque glass complements the irregular air bubbles of seeded glass in this dramatic design.



CC79
(A)
3'0" x 6'8"



CC79 door with CC2279SL sidelites



Provincial™ glass

Like a precious jewel, a symmetrical diamond design is surrounded by shimmering double water glass and bordered with gray-tinted baroque glass.



(C) brushed nickel caming

CC17
(C)
3'0" x 6'8"



Cambridge™ glass

Clear, curved beveled glass creates a graceful design with brass or nickel caming that's set amid crystalline glue chip glass.



CC16
(A)
3'0" x 6'8"



CC76
(A)
3'0" x 6'8"



CC2276SL
(A)
14" x 6'8"

Clear Low-E Glass



CC48
2'8" x 6'8"
3'0" x 6'8"



CC61
3'0" x 6'8"



CC90
3'0" x 6'8"



CC100
3'0" x 6'8"



CC2020SL
12" x 6'8"
14" x 6'8"

Clear Low-E Glass

with removable wood grilles



CC49
2'8" x 6'8"
3'0" x 6'8"



CC92
3'0" x 6'8"



CC102
3'0" x 6'8"



CC2025SL
12" x 6'8"
14" x 6'8"



CC11
3'0" x 6'8"



CC60
2'8" x 6'8"
3'0" x 6'8"



CC91
3'0" x 6'8"

Solid Panel

**LIMITED
LIFETIME
WARRANTY**



High Definition Panel Embossment

Craftsman Only Panel Embossment

Fiber-Classic®

Mahogany Collection™

Timeless styles and a rich Mahogany grain join together to create the latest line in Fiber-Classic, an easy and attractive way to enhance your home.

- Deep, welcoming Mahogany grain that is consistent with the trend toward darker, richer wood tones
- Value priced compared to premium wood doors, while still offering all the advantages of fiberglass
- Craftsman style doors come with a Flush Fit™ frame, which eliminates screw plugs for a cleaner, more finished look
- Solid engineered lock blocks ensure added strength and increased security
- Composite top and bottom rail prevents mold and mildew build-up due to moisture



(C) brushed nickel caming



(D) black nickel caming

Saratoga™ glass

Echoing its Spanish and Santa Fe influences, Saratoga's design blends diamond, clear bevel and reed glass in a distinctly original pattern.



FCM906
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FIM602
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FIM602SL
(C,D)
12" x 6'8"
14" x 6'8"

**4-BLOCK
DENTIL
SHELF***



DSB4BLK Available for FIM602

* Not recommended for placement behind storm doors.



(D) black nickel
caming




(C) brushed nickel
caming

Falling Water™ glass

This peaceful and comforting design features water and granite glass, along with clear bevels and a soft arc that create a craftsman-inspired look, well suited for all types of homes.



FCM901
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FCM904
(C,D)
3'0" x 6'8"



FIM613SL
(C,D)
12" x 6'8"
14" x 6'8"



(A) brass caming



(C) brushed nickel
caming

Wellesley™ glass

A graceful center star shimmers in a pool of water glass, accented with clear bevels and grounded in clear baroque and granite glass.



FCM105
(A,C)
2'8" x 6'8"
3'0" x 6'8"



FCM106
(A,C)
3'0" x 6'8"



FCM125
(A,C)
3'0" x 6'8"



FIM612SL
(A,C)
12" x 6'8"
14" x 6'8"



(A) brass caming



(C) brushed nickel
caming

Concorde™ glass

Reflected light is captured and made to dance through gracefully curved bevels - meticulously crafted in old-world caming.



FCM911
(A,C)
2'8" x 6'8"
3'0" x 6'8"



FCM914
(A,C)
3'0" x 6'8"



FCM916
(A,C)
3'0" x 6'8"



FIM615SL
(A,C)
12" x 6'8"
14" x 6'8"

Clear Glass with external lite dividers



FIM601
2'8" x 6'8"
3'0" x 6'8"



FIM605
External Lite Divider
2'8" x 6'8"
3'0" x 6'8"



FIM606
External Lite Divider
2'8" x 6'8"
3'0" x 6'8"



FIM607
External Lite Divider
2'8" x 6'8"
3'0" x 6'8"



FIM608
External Lite Divider
2'8" x 6'8"
3'0" x 6'8"



FIM601SL
12" x 6'8"
14" x 6'8"

4-BLOCK DENTIL SHELF*



DSB4BLK

* Not recommended for placement behind storm doors.

Solid Panel



FCM60
2'8" x 6'8"
3'0" x 6'8"



FCM134
3'0" x 6'8"



FCM755
3'0" x 6'8"



FCM916 door Concorde™ Glass

LIMITED
LIFETIME
WARRANTY



Fiber-Classic®

Oak Collection™

The beautiful door that started the fiberglass revolution, the Fiber-Classic Oak Collection's traditional graining and breadth of product line are the perfect addition to any entryway.

- Features the natural warmth and rich look of Oak graining to match any home's architectural style
- Value priced compared to premium wood doors, while still offering all the advantages of fiberglass
- First fiberglass door, which stands the test of time reflecting its distinctive craftsmanship and exceptional durability
- Solid engineered lock blocks ensure added strength and increased security
- Composite top and bottom rail prevents mold and mildew build-up due to moisture



(A) brass caming



(C) brushed nickel caming

Keystone™ glass

Swirled gray baroque glass gracefully wraps around an elegant cluster of beveled glass giving the Keystone glass design its flowing appearance.




FC161
(A.C)
3'0" x 6'8"



FC711
(A.C)
3'0" x 6'8"



FC711 door with FC705SL sidelites
(sidelite not stocked by MDI)



Blackstone™ glass

This timeless traditional design combines generous, clear curved bevels that glimmer in light and rain glass textures for added privacy.

(D) black nickel
caming



FC108SL
(D)
12" x 6'8"
14" x 6'8"



FC112 door with FC108SL sidelites
(door not stocked by MDI)



Sedona™ glass

The use of clear beveled glass lines and unique bubble patterned glass in Sedona glass is reminiscent of mission style craftworks.

(D) black nickel
caming




(C) brushed nickel
caming



FC101
(C,D)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC100SL
(C,D)
12" x 6'8"
14" x 6'8"



Saratoga™ glass

Echoing its Spanish and Santa Fe influences, Saratoga's design blends diamond, clear bevel and reed glass in a distinctly original pattern.

(D) black nickel
caming



(C) brushed nickel
caming



FC906
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FC908
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FC905SL
(C,D)
12" x 6'8"
14" x 6'8"



FC906SL
(C,D)
12" x 6'8"
14" x 6'8"

Falling Water™ glass

This peaceful and comforting design features water and granite glass along with clear bevels and a soft arc that create a craftsman-inspired look, well suited for all types of homes.



(D) black nickel caming




(C) brushed nickel caming



FC901
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FC903
(C,D)
2'8" x 6'8"
3'0" x 6'8"



FC904
(C,D)
3'0" x 6'8"



FC900SL
(C,D)
12" x 6'8"
14" x 6'8"



FC901SL
(C,D)
12" x 6'8"
14" x 6'8"



(C) brushed nickel caming



(A) brass caming

Wellesley™ glass

A graceful center star shimmers in a pool of water glass, accented with clear bevels and grounded in clear baroque and granite glass.



FC105
(C)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC125
(A,C)
3'0" x 6'8"



FC127
(C)
2'8" x 6'8"
3'0" x 6'8"



FC163
(A,C)
3'0" x 6'8"



FC713
(A,C)
3'0" x 6'8"



FC104SL
(C)
FCS104SL
(No Stile Lines)
(A,C)
12" x 6'8"
14" x 6'8"



FC105SL
(C)
12" x 6'8"
14" x 6'8"



(A) brass caming



(C) brushed nickel caming

Concorde™ glass

Reflected light is captured and made to dance through gracefully curved bevels - meticulously crafted in old-world caming



FC911
(A,C)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC913
(A,C)
2'8" x 6'8"
3'0" x 6'8"



FC914
(A,C)
3'0" x 6'8"



FC915
(A,C)
3'0" x 6'8"



FC916
(A,C)
3'0" x 6'8"



FC910SL
(A,C)
12" x 6'8"
14" x 6'8"



FC911SL
(A,C)
12" x 6'8"
14" x 6'8"

Kensington™ glass

The traditional design of Kensington decorative glass is comprised of clear bevels, glue chip and granite glass, creating a beautiful focal point that is surrounded by brushed nickel caming.



(C) brushed nickel caming



FC149
(C)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC150
(C)
3'0" x 6'8"



FC151
(C)
3'0" x 6'8"



FC152
(C)
2'8" x 6'8"
3'0" x 6'8"



FC709
(C)
3'0" x 6'8"



FC148SL
(C)
12" x 6'8"
14" x 6'8"



FC149SL
(C)
12" x 6'8"
14" x 6'8"

Bevelline™ glass

The clear, simple bevels of Bevelline glass create the look of fine-cut facet crystal.



FC12
2'8" x 6'8"
3'0" x 6'8"



FC25
2'8" x 6'8"
3'0" x 6'8"



FC58
2'8" x 6'8"
3'0" x 6'8"



FC68
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC1512
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



FC12SL
12" x 6'8"
14" x 6'8"



FC58SL
12" x 6'8"
14" x 6'8"



FC15101SL
12" x 6'8"
14" x 6'8"

Frosted Images™ glass

Privacy was never as attractive as this clear glass design through a white-frosted glass.



FC66
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC66 door with FC44SL sidelites



Internal Blinds raise, lower and tilt

Gives you the option to have complete privacy, to let a little light in, or have a clear view.



FC140
(Raise, Lower & Tilt)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC141
(Raise, Lower & Tilt)
2'8" x 6'8"
3'0" x 6'8"



Clear Glass with removable wood grille




FC18
(IG, Low-E)
2'8" x 6'8"
3'0" x 6'8"



FC23
(IG)
2'8" x 6'8"
3'0" x 6'8"



FC63
(IG, Low-E)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC65
(IG, Low-E)
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC18SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



FC63SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



FC81200-6SL
(IG)
14" x 8'0"

Clear Glass



FC10
(IG, Low-E)
2'8" x 6'8"
3'0" x 6'8"



FC32
(IG)
3'0" x 6'8"



FC48
(IG, Low-E)
2'8" x 6'8"
3'0" x 6'8"



FC61
(IG)
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC62
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC160
(IG)
3'0" x 6'8"



FC710
(IG)
3'0" x 6'8"



FC47SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



FCS47SL
(No Stile Lines)
(Low-E)
12" x 6'8"
14" x 6'8"



FC48SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



FC12101SL
(No Stile Lines)
(IG, Low-E)
12" x 6'8"
14" x 6'8"



FC81200SL
(IG)
14" x 8'0"



FC10 door

Solid Panel



FC31
3'0" x 6'8"



FC60
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
3'0" x 7'0"



FC134
3'0" x 6'8"



FC135
3'0" x 6'8"



FC1000
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



FC860
3'0" x 8'0"



FC81000
2'8" x 8'0"
3'0" x 8'0"

LIMITED
LIFETIME
WARRANTY




Smooth-Star®

Fiberglass Entry Door Systems

Smooth-Star fiberglass doors feature a ready-to-paint, smooth surface that resists dents and won't rust. They provide a beautiful, yet durable entryway sure to provide great curb appeal.


- Features a smooth, paintable surface for a clean look
- Crisp stile and rail lines give greater panel definition
- First fiberglass door, which stands the test of time reflecting its distinctive craftsmanship and exceptional durability
- Solid engineered lock blocks ensure added strength and increased security
- Composite top and bottom rail prevents mold and mildew build-up due to moisture



(D) black nickel
caming

Blackstone™ glass


This timeless traditional design combines generous, clear curved bevels that glimmer in light and rain glass textures for added privacy.




SS6000
(D)
2'8" x 6'8"
3'0" x 6'8"



SS6013
(D)
2'8" x 6'8"
3'0" x 6'8"



SS6032
(D)
2'8" x 6'8"
3'0" x 6'8"



SS6052
(D)
3'0" x 6'8"



SS6000SL
(D)
12" x 6'8"
14" x 6'8"

Sedona™ glass

The use of clear beveled glass lines and unique bubble patterned glass in Sedona glass is reminiscent of mission style craftworks.




(A-1D) art glass




(C) brushed nickel caming




(D) black nickel caming




SS35
(A-1D,C,D)
2'8" x 6'8"
3'0" x 6'8"



SS139
(A-1D)
2'10" x 6'8"
3'0" x 6'8"



SS211
(A-1D,C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS294
(A-1D,C,D)
2'8" x 6'8"
3'0" x 6'8"



SS604
(A-1D)
2'8" x 6'8"
3'0" x 6'8"



SS6025
(A-1D,C,D)
2'8" x 6'8"
3'0" x 6'8"



SS6045
(A-1D,C,D)
3'0" x 6'8"



SS12SL
(A-1D,C,D)
12" x 6'8"
14" x 6'8"



SS139SL
(A-1D,C,D)
12" x 6'8"
14" x 6'8"



SS294SL
(A-1D,C,D)
12" x 6'8"
14" x 6'8"

**4-BLOCK
DENTIL
SHELF***



Available option for SS604

DSW4BLK

* Not recommended for placement behind storm doors.



(D) black nickel caming



(C) brushed nickel caming

Falling Water™ glass

This peaceful and comforting design features water and granite glass, along with clear bevels and a soft arc that create a craftsman-inspired look, well suited for all types of homes.




SS6101
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS6104
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS6105
(C,D)
3'0" x 6'8"



SS6106
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS6107
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS6108
(C,D)
3'0" x 6'8"



SS6100SL
(C,D)
12" x 6'8"
14" x 6'8"



SS6101SL
(C,D)
12" x 6'8"
14" x 6'8"




SS6105SL
(C,D)
12" x 6'8"
14" x 6'8"



SS6108 door with SS6100SL sidelites

Saratoga™ glass

Echoing its Spanish and Santa Fe influences, Saratoga's design blends diamond, clear bevel and reed glass in a distinctly original pattern.



(D) black nickel caming




(C) brushed nickel caming



SS41
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS154
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS213
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS291
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS602
(C)
2'8" x 6'8"
3'0" x 6'8"



SS6029
(C,D)
2'8" x 6'8"
3'0" x 6'8"



SS6049
(C,D)
3'0" x 6'8"



SS154SL
(C,D)
12" x 6'8"
14" x 6'8"



SS291SL
(C,D)
12" x 6'8"
14" x 6'8"



SS602SL
No Stile Lines
(C)
12" x 6'8"
14" x 6'8"

4-BLOCK
DENTIL
SHELF*



Available option for SS602

DSW4BLK

* Not recommended for placement behind storm doors.



(A) brass



(C) brushed nickel caming

Wellesley™ glass


A graceful center star shimmers in a pool of water glass accented with clear bevels and grounded in clear baroque and granite glass.




SS42
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS155
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS214
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS292
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS774
(A,C)
3'0" x 6'8"



SS6030
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS6050
(A,C)
3'0" x 6'8"



SS6082
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS155SL
(A,C)
12" x 6'8"
14" x 6'8"



SS292SL
(A,C)
12" x 6'8"
14" x 6'8"



SS155 door with SS155SL sidelites

Concorde™ glass

Reflected light is captured and made to dance through gracefully curved bevels-meticulously crafted in old-world caming.



(A) brass caming



(C) brushed nickel caming



SS17
(A,C)
3'0" x 6'8"



SS37
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS87
(C)
2'8" x 6'8"
3'0" x 6'8"



SS97
(C)
2'8" x 6'8"
3'0" x 6'8"




SS400
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS426
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS430
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS450
(A)
2'8" x 6'8"
3'0" x 6'8"



SS454
(A)
2'8" x 6'8"
3'0" x 6'8"



SS773
(A,C)
3'0" x 6'8"



SS6026
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS6046
(A,C)
3'0" x 6'8"



SS6084
(A,C)
2'8" x 6'8"
3'0" x 6'8"



SS17SL
(A,C)
12" x 6'8"
14" x 6'8"



SS416SL
(A,C)
12" x 6'8"
14" x 6'8"



SS430SL
(A,C)
12" x 6'8"
14" x 6'8"



SS450SL
(A)
12" x 6'8"
14" x 6'8"



SS757SL
(C)
12" x 6'8"
14" x 6'8"



SS767SL
(A,C)
12" x 6'8"
14" x 6'8"




SS4070SL
(A,C)
12" x 6'8"
14" x 6'8"




(C) brushed nickel caming

Kensington™ glass

The traditional design of Kensington decorative glass is comprised of clear bevels, glue chip and granite glass, creating a beautiful focal point that is surrounded by brushed nickel caming.



SS43
(C)
2'8" x 6'8"
3'0" x 6'8"



SS161
(C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS162
(C)
2'8" x 6'8"
3'0" x 6'8"




SS163
(C)
2'8" x 6'8"
3'0" x 6'8"



SS709
(C)
3'0" x 6'8"



SS6036
(C)
2'8" x 6'8"
3'0" x 6'8"



SS6056
(C)
3'0" x 6'8"



SS160SL
(C)
12" x 6'8"
14" x 6'8"



SS161SL
(C)
12" x 6'8"
14" x 6'8"



Frosted Images™ glass

Privacy was never as attractive as this clear glass design through a white-frosted glass.



SS34
2'8" x 6'8"
3'0" x 6'8"



SS103
2'8" x 6'8"
3'0" x 6'8"



SS138
2'10" x 6'8"
3'0" x 6'8"



SS206E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SS250
2'8" x 6'8"
3'0" x 6'8"



SS260
2'8" x 6'8"
3'0" x 6'8"



SS289E
2'8" x 6'8"
3'0" x 6'8"



SS6023
2'8" x 6'8"
3'0" x 6'8"



SS6043
3'0" x 6'8"



SS138SL
12" x 6'8"
14" x 6'8"



SS250SL
12" x 6'8"
14" x 6'8"




SS289ESL
12" x 6'8"
14" x 6'8"




SS2070SL
12" x 6'8"
14" x 6'8"

Crystal Diamonds™ glass

Crystalline glue chip glass, clear bevels and rounded brass caming combine in a design that defines contemporary elegance.



brass caming




SS36
2'8" x 6'8"
3'0" x 6'8"



SS700
2'8" x 6'8"
3'0" x 6'8"



SS716
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS726
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS730
2'8" x 6'8"
3'0" x 6'8"



SS754
2'8" x 6'8"
3'0" x 6'8"



SS6024
2'8" x 6'8"
3'0" x 6'8"



SS6044
3'0" x 6'8"




SS716L
12" x 6'8"
14" x 6'8"



SS730SL
12" x 6'8"
14" x 6'8"

Contemporary™ glass

Internal brass-plated grids are sealed between clear glass panes



SS550
2'8" x 6'8"
3'0" x 6'8"



SS554
2'8" x 6'8"
3'0" x 6'8"




SS716 door with SS716SL sidelites
Crystal Diamonds™ glass

Internal Blinds

Choose white internal blinds that tilt open and close, or those that raise and lower as well as tilt open and close.



SS130
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS131
2'8" x 6'8"
3'0" x 6'8"



SS132
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





SS6035
2'8" x 6'8"
3'0" x 6'8"



SS6055
3'0" x 6'8"

Screen Vented Lites

Features a gliding operation and sash locking system



SS137
2'8" x 6'8"
3'0" x 6'8"



SS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS6034
2'8" x 6'8"
3'0" x 6'8"



SS6054
3'0" x 6'8"

Solid Panel




SS11
3'0" x 6'8"



SS31
2'8" x 6'8"
3'0" x 6'8"



SS93
3'0" x 6'8"



SS100
2'8" x 6'8"
3'0" x 6'8"



SS200
2'8" x 6'8"
3'0" x 6'8"



SS205
3'0" x 6'8"



SS210
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS220
2'8" x 6'8"
3'0" x 6'8"



SS270
2'8" x 6'8"
3'0" x 6'8"



SS600
2'8" x 6'8"
3'0" x 6'8"



SS755
3'0" x 6'8"



SS960
2'8" x 6'8"
3'0" x 6'8"



SS11SL
12" x 6'8"
14" x 6'8"



SS810
3'0" x 8'0"

Clear Glass with Grilles



fixed grille



RG
removable grilles




GBG
grilles between glass
(internal flat grille)




ELD
external lite divider




SS32
Fixed (IG, Low-E)
RG (IG, LE)
White GBG (IG, Low-E)
Tan GBG (IG)
2'8" x 6'8"
3'0" x 6'8"




SS82
RG (IG)
2'8" x 6'8"
3'0" x 6'8"



SS92
RG (IG)
2'8" x 6'8"
3'0" x 6'8"



SS108
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'6" x 6'8" *
2'8" x 6'8" *
2'10" x 6'8"
3'0" x 6'8"



SS115
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



SS128
Fixed (IG)
RG (IG, Low-E)
2'6" x 6'8" *
2'8" x 6'8" *
2'10" x 6'8" *
3'0" x 6'8"



SS151
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



SS198
White GBG (Low-E)
2'10" x 6'8"
3'0" x 6'8"



SS236
Fixed (IG)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS237
Fixed (IG)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS255
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



SS262
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'6" x 6'8" *
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS605
ELD (Low-E)
2'8" x 6'8"
3'0" x 6'8"




SS606
ELD (Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS607
ELD (Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS608
ELD (Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS6022
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'8" x 6'8"
3'0" x 6'8"



SS6042
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
3'0" x 6'8"



SS6062
White GBG (Low-E)
3'0" x 6'8"



SS6063
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'8" x 6'8"
3'0" x 6'8"



SS92SL
Flush-glazed
RG (IG)
14" x 6'8"



SS151SL
Fixed (IG)
12" x 6'8"
14" x 6'8"



SS263SL
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
12" x 6'8"
14" x 6'8"



SS308SL
Fixed (IG)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
12" x 6'8"
14" x 6'8"



SS1170SL
Fixed (IG)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
12" x 6'8"
14" x 6'8"

*Sizes not available in all glass options

Clear Glass



SS30
(IG,Low-E)
2'8" x 6'8"
3'0" x 6'8"




SS80
(IG)
2'8" x 6'8"
3'0" x 6'8"




SS90
(IG)
2'8" x 6'8"
3'0" x 6'8"



SS102
(IG)
2'8" x 6'8"
3'0" x 6'8"




SS104
(IG,Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS105
(IG)
2'8" x 6'8"
3'0" x 6'8"



SS118
(IG,Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS150
(IG)
2'8" x 6'8"
3'0" x 6'8"



SS206
(IG,Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS256
(IG)
2'8" x 6'8"
3'0" x 6'8"



SS289
(IG,Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS296
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SS601
(Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS6021
(IG,Low-E)
2'8" x 6'8"
3'0" x 6'8"



SS6041
(IG,Low-E)
3'0" x 6'8"



SS90SL
Flush-glazed
(IG)
14" x 6'8"



SS100SL
(IG,Low-E)
12" x 6'8"
14" x 6'8"



SS150SL
(IG)
12" x 6'8"
14" x 6'8"



SS210SL
(IG,Low-E)
12" x 6'8"
14" x 6'8"



SS601SL
(Low-E)
12" x 6'8"
14" x 6'8"



SS1070SL
(IG,Low-E)
12" x 6'8"
14" x 6'8"



SS896
(IG)
3'0" x 8'0"



SS210 door with SS100SL sidelite

5 YEAR
LIMITED
WARRANTY

door

10 YEAR
LIMITED
WARRANTY

glass



Traditions

Steel Entry Door Systems

Featuring smooth steel and a polyurethane foam core, Traditions doors provide an affordable yet attractive entryway.

- Excellent value-priced entry door option
- Features 25-gauge steel that is primed white and ready-to-paint
- Reinforced solid wood lock block and rot-resistant top and bottom rails for added durability
- Solid polyurethane foam core offers increased energy efficiency
- 20-minute fire rating on opaque doors without glass, a great solution for house-to-garage applications



(D) black nickel
caming

Blackstone™ glass

This timeless traditional design combines generous, clear curved bevels that glimmer in light and rain glass textures for added privacy.



TS309
(D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS311
(D)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS311SL
(D)
12" x 6'8"
14" x 6'8"

Sedona™ glass

The use of clear beveled glass lines and unique bubble patterned glass in Sedona glass is reminiscent of mission style craftworks.



(A-1D) art glass



(C) brushed nickel caming



(D) black nickel caming



TS139
(A-1D)
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS211
(A-1D,C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS294
(A-1D,C,D)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS139SL
(A-1D,C,D)
12" x 6'8"
14" x 6'8"



TS294SL
(A-1D,C,D)
12" x 6'8"
14" x 6'8"

Concorde™ glass

Reflected light is captured and made to dance through gracefully curved bevels-meticulously crafted in old-world caming.



(A) brass caming



(C) brushed nickel caming



TS400
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"




TS426
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS430
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS450
(A)
2'8" x 6'8"
3'0" x 6'8"



TS453
(A)
2'8" x 6'8"
3'0" x 6'8"



TS454
(A)
2'8" x 6'8"
3'0" x 6'8"



TS416SL
(A,C)
12" x 6'8"
14" x 6'8"



TS430SL
(A,C)
12" x 6'8"
14" x 6'8"



TS450SL
(A)
12" x 6'8"
14" x 6'8"

Saratoga™ glass

Echoing its Spanish and Santa Fe influences, Saratoga's design blends diamond, clear bevel and reed glass in a distinctly original pattern.




(D) black nickel caming



(C) brushed nickel caming



TS610
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS613
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS615
(C,D)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS610SL
(C,D)
12" x 6'8"
14" x 6'8"



TS615SL
(C)
12" x 6'8"
14" x 6'8"

Falling Water™ glass

This peaceful and comforting design features water and granite glass, along with clear bevels and a soft arc that create a craftsman-inspired look, well suited for all types of homes.



(D) black nickel caming



(C) brushed nickel caming



TS963
(C,D)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS964
(C,D)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS962SL
(C,D)
12" x 6'8"
14" x 6'8"



TS963SL
(C,D)
12" x 6'8"
14" x 6'8"

Wellesley™ glass

A graceful center star shimmers in a pool of water glass accented with clear bevels and grounded in clear baroque and granite glass.




(A) brass caming



(C) brushed nickel caming



TS620
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS623
(A,C)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS625
(A,C)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ glass

The traditional design of Kensington decorative glass is comprised of clear bevels, glue chip and granite glass, creating a beautiful focal point that is surrounded by brushed nickel caming.



(C) brushed nickel caming



TS627
(C)
30" x 6'8"



TS628
(C)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS626SL
(C)
12" x 6'8"
14" x 6'8"



TS628SL
(C)
12" x 6'8"
14" x 6'8"

Crystal Diamonds™ glass

Crystalline glue chip glass, clear bevels and rounded brass caming combine in a design that defines contemporary elegance.



(A) brass caming



TS700
(A)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS716
(A)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS726
(A)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS730
(A)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS754
(A)
2'8" x 6'8"
3'0" x 6'8"



TS716 door with TS716SL sidelite



TS716SL
(A)
12" x 6'8"
14" x 6'8"



TS730SL
(A)
12" x 6'8"
14" x 6'8"



Frosted Images™ glass

Privacy was never as attractive as this clear glass design through a white-frosted glass.



TS103
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS138
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS206E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS250
2'8" x 6'8"
3'0" x 6'8"



TS253
2'8" x 6'8"
3'0" x 6'8"



TS260
2'8" x 6'8"
3'0" x 6'8"



TS289E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




TS138SL
12" x 6'8"
14" x 6'8"



TS250SL
12" x 6'8"
14" x 6'8"



TS289ESL
12" x 6'8"
14" x 6'8"



Contemporary™ glass

Internal brass-plated grids are sealed between clear glass panes



TS550
2'8" x 6'8"
3'0" x 6'8"



TS554
2'8" x 6'8"
3'0" x 6'8"

Internal Blinds

Choose white internal blinds that tilt open and close, or those that raise and lower as well as tilt open and close.



TS130
Tilt Only or Raise/Lower/Tilt
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS131
Tilt Only or Raise/Lower/Tilt
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"




TS132
Tilt Only or Raise/Lower/Tilt
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MI131W
Raise/Lower/Tilt Blind with
White Internal Grille
2'8" x 6'8"
3'0" x 6'8"



MI132W
Raise/Lower/Tilt Blind with
White Internal Grille
2'8" x 6'8"
3'0" x 6'8"



MI205W
Raise/Lower/Tilt Blind with
White Internal Grille
2'8" x 6'8"
3'0" x 6'8"



MI984W
Raise/Lower/Tilt Blind with
White Internal Grille
2'8" x 6'8"
3'0" x 6'8"



Internal Shades


White fabric shades softly filter light. Top down and bottom up controls allow you to bring in more light while maintaining privacy.




MI130
Raise/Lower Shade
2'8" x 6'8"
3'0" x 6'8"




MI131
Raise/Lower Shade
2'8" x 6'8"
3'0" x 6'8"



MI132
Raise/Lower Shade
2'8" x 6'8"
3'0" x 6'8"




MI205
Raise/Lower Shade
2'8" x 6'8"
3'0" x 6'8"



MI984
Raise/Lower Shade
2'8" x 6'8"
3'0" x 6'8"

Screen Vented Lites

Features a gliding operation and sash locking system



TS137
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 3'4" x 6'8"
 3'6" x 6'8"
 2'8" x 7'0"
 3'0" x 7'0"



TS243
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Solid Panel



TS100
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 3'4" x 6'8"
 3'6" x 6'8"
 2'8" x 7'0"
 3'0" x 7'0"



TS210
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS214
 2'8" x 6'8"
 3'0" x 6'8"



TS290
 2'8" x 6'8"
 3'0" x 6'8"



TS810
 3'0" x 8'0"



MI205V
 2'8" x 6'8"
 3'0" x 6'8"
 V-groove Panel



MI1005HD
 2'8" x 6'8"
 3'0" x 6'8"
 High Definition Panel

Clear Glass with Grilles



fixed grille




RG
removable grilles



GBG
grilles between glass
(internal flat grille)



TS108
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'6" x 6'8" *
2'8" x 6'8" *
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS115
Fixed (IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS128
Fixed (IG)
RG (IG, Low-E)
2'6" x 6'8" *
2'8" x 6'8" *
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS151
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



TS154
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



TS198
White GBG (Low-E)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS236
Fixed (IG)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS237
Fixed (IG)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS255
Fixed (IG)
2'8" x 6'8"
3'0" x 6'8"



TS262
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'6" x 6'8" *
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS263
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
2'6" x 6'8" *
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS151SL
Fixed (IG)
12" x 6'8"
14" x 6'8"



TS263SL
Fixed (IG, Low-E)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
12" x 6'8"
14" x 6'8"



TS308SL
Fixed (IG)
RG (IG, Low-E)
White GBG (IG, Low-E)
Tan GBG (IG)
12" x 6'8"
14" x 6'8"

Clear Glass



TS102
(IG)
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS104
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS105
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS118
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'4" x 6'8"
3'6" x 6'8"
2'8" x 7'0"
3'0" x 7'0"



TS150
(IG)
2'8" x 6'8"
3'0" x 6'8"



TS153
(IG)
2'8" x 6'8"
3'0" x 6'8"



TS206
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS256
(IG)
2'8" x 6'8"
3'0" x 6'8"



TS289
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS291
(IG)
2'8" x 6'8"
3'0" x 6'8"



TS296
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



TS118 door with TS100SL sidelite



DS101SL
Direct Set
12" x 6'8"
14" x 6'8"



TS100SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



TS150SL
(IG)
12" x 6'8"
14" x 6'8"



TS210SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



TS296SL
(IG)
12" x 6'8"
14" x 6'8"

Clear Glass



MD101
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD105
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD116
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD118
(IG, Low-E)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD201
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD256
(IG)
2'8" x 6'8"
3'0" x 6'8"



MD296
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DS101SL
Direct Set
12" x 6'8"
14" x 6'8"




TS100SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



TS210SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"



TS296SL
(IG)
12" x 6'8"
14" x 6'8"



fixed grille

Clear Glass with Grilles



MD108
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD109
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD112
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD209
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD212
(IG)
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD255
(IG)
2'8" x 6'8"
3'0" x 6'8"



TS263SL
(IG, Low-E)
12" x 6'8"
14" x 6'8"




TS308SL
(IG)
12" x 6'8"
14" x 6'8"

For MDI Series Steel Door System Details see page 43

Contemporary™ glass

Internal brass-plated grids are sealed between clear glass panes



MD254
2'8" x 6'8"
3'0" x 6'8"

Screen Vented Lites

Features a gliding operation and sash locking system



MD101V
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD201V
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Solid Panel



MD100
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



MD200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star®, & Steel

Therma-Tru fire doors are available with 90- or 20-minute fire ratings that provide additional safety for your family and help protect your home. Keep your home safe without sacrificing style.

Classic-Craft® 20-Minute Fire-Rated



CCRF200
3'0" x 6'8"
Rustic Collection

CCRF205
3'0" x 6'8"
Rustic Collection

Fiber-Classic® 20-Minute Fire-Rated



FCF100
2'8" x 6'8"
3'0" x 6'8"
2'8" x 7'0"
3'0" x 7'0"
Oak Collection

FCF160
2'8" x 6'8"
3'0" x 6'8"
2'8" x 7'0"
3'0" x 7'0"
Oak Collection

FMF60
2'8" x 6'8"
3'0" x 6'8"
Mahogany Collection

Smooth-Star® 20-Minute Fire-Rated



SSF100
2'8" x 6'8"
3'0" x 6'8"

SSF140
3'0" x 6'8"

SSF160
2'8" x 6'8"
3'0" x 6'8"

SSF200
2'8" x 6'8"
3'0" x 6'8"

SSF205
2'8" x 6'8"
3'0" x 6'8"

SSF220
2'8" x 6'8"
3'0" x 6'8"

SSF600
2'8" x 6'8"
3'0" x 6'8"

SSF960
2'8" x 6'8"
3'0" x 6'8"

Traditions 20-Minute Fire-Rated



TSF100
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
2'8" x 7'0"
3'0" x 7'0"

TSF210
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

TSF214
2'8" x 6'8"
3'0" x 6'8"

TSF290
2'8" x 6'8"
3'0" x 6'8"


SSF200 20-minute fire-door



Therma-Tru® Fire Door

90-Minute Fire-Rated steel edge doors

Standard prehung in 4-1/2" - 5-1/2" Steel Adjusta-Fit® 2 Frame



SE100
3'0" x 6'8"



SE210HD
3'0" x 6'8"



SE210HD door

Adjusta-Fit® 2 Frame

- Ideal for interior and exterior applications, including corridor openings and outside unit entries
- Great for applications allowing the use of decorative casings and molding trim
- Commercial-grade 18-gauge base frame
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4" to 9-1/2" deep
- All frames fabricated from galvanized steel and factory coated paint finish for rust inhibition and superior paint adhesion
- All base frames are kerfed to receive foam weatherstrip for air infiltration resistance
- Pressure-fit weatherstrip is easily removable for field painting
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option
- Frames prepared for 4" hinges
- Installable into wood and steel stud walls, as well as masonry construction
- 90-minute positive pressure fire-rating, third party certified by ITS/Warnock Hersey
- All-aluminum thermally broken threshold for added durability
- Public access systems also available





STORM DOORS



Pella's exclusive Express Install™ feature allows you to install this door in as little as 60 minutes.

Pella® Storm Doors

Pella® storm doors are built to last. With quality features that help ensure years of dependable performance.

- One-Touch® closer holds door open at the touch of a button
- Overlapping frame with double weatherstrip prevents drafts and offers a clean look
- Lifetime Finish Guarantee on most solid brass handles
- All Pella® storm doors reduce energy loss by up to 45%
- Two closers ensure smooth operation and are color-matched to door
- Heavy-duty hinges provide dependable performance
- Installation screws are covered for a clean, finished appearance
- Fully tempered glass ensures added safety

Fullview

Offering a full expanse of glass along with an interchangeable screen, so you can take maximum advantage of the view.



- 1-5/8" Deluxe Fullview with Plain Glass
- Express Install
- Keyed Multipoint Lock
- Touch'n Hold Closure
- Keyed Deadbolt
- Interchangeable with included screen



Model 4601

32" x 81"
White - Solid Brass Handle
36" x 81"

White - Bright Brass, Satin Nickel, Oil Rubbed Bronze Handles
Putty - Bright Brass, Satin Nickel Handles
Hartford Green - Bright Brass Handle
Cranberry - Bright Brass Handle
Poplar White - Satin Nickel Handle



White

Putty

Hartford Green

Cranberry

Poplar White



- 1-1/4" Slimline Fullview with Plain Glass
- Express Install
- Keyed Multipoint Lock
- Touch'n Hold Closure
- Keyed Deadbolt
- Interchangeable with included screen



Model 3010

32" x 81"
White - Solid Brass Handle
36" x 81"

White - Solid Brass Handle
Putty - Solid Brass Handle



White

Putty

Rolscreen®

These doors offer a refreshing breeze when you want it and a clear view when you don't. Easily adjust the screen to any position for flexible ventilation options. Or roll it up, out of sight, for full light and to show off the beauty of your entryway.



- Self-Storing Fullview with Rolscreen®
- Touch'n Hold Closure
- Keyed Deadbolt



Model 3800
36" x 81"
White - Bright Brass, Satin Nickel Handles



- Self-Storing Midview with Rolscreen®
- Touch'n Hold Closure
- Keyed Deadbolt



Model 3825
36" x 81"
White - Bright Brass, Satin Nickel Handles



Self-Storing

Self-storing screens are always there when you need them and never need to be removed.



- Self-Storing Highview
- 1" Solid Core
- Full Screen
- 2 Movable Glass Panels



Model 3030
32", 36" x 81"
White - White Handle



- Self-Storing Midview
- 1" Solid Core
- Full Screen
- 2 Movable Glass Panels



Model 3031
32", 36" x 81"
White - White Handle



Northwoods™ wood core

Protection from the elements at a great value.



- 1" Wood Core
- Full Screen
- 2 Movable Glass Panels



Model N80-01
32", 36" x 81"
White - White Handle



- 1" Wood Core
- Self-Storing Half Screen
- 1 Movable Glass Panel
- Traditional Molded Detail



Model N80-03
32", 36" x 81"
White - White Handle



- 1" Wood Core
- Self-Storing Half Screen
- 1 Movable Glass Panel



Model N80-08
30", 32", 34", 36" x 81"
White - White Handle
32", 36" x 81"
Brown - Black Handle



Let the experts do the job


Order your Therma-Tru Door System stained or painted in any of the standard colors below.

- our prefinish operation utilizes state-of-the art techniques and the highest quality stains and paints available to insure a great finish everytime.
- we do not limit you to only these standard colors... *our standard is what you desire*



Stain Finishes

Available for Classic-Craft® and Fiber-Classic® only. Colors may vary from an actual application due to fluctuations in staining or the printing process of this brochure. Please refer to the MDI Exterior Door Prefinish Stain Options color deck for matching purposes.



Standard Paint Colors

Available for all Therma-Tru Door Systems. Colors may vary from an actual application due to fluctuations in the printing process of this brochure. Please refer to the MDI Paint Color Chart for matching purposes.



We will also custom color match any color desired.

Our "Standard" is what you desire in color

* Matches Clad Frame Colors (Brick Red matches Wineberry clad)

Sizes and Rough Openings

Inswing Door Systems

Description	Size	Actual Unit Size	Rough Opening
Single Door	2'0"	25-5/8" x 82"	26-1/2" x 82-1/2"
Unit	2'4"	29-5/8" x 82"	32-1/2" x 82-1/2"
	2'6"	31-5/8" x 82"	32-1/2" x 82-1/2"
	2'8"	33-5/8" x 82"	34-1/2" x 82-1/2"
	2'10"	35-5/8" x 82"	36-1/2" x 82-1/2"
	3'0"	37-5/8" x 82"	38-1/2" x 82-1/2"
	3'6"	43-5/8" x 82"	44-1/2" x 82-1/2"
Double Door	5'0"	62-9/16" x 82"	63-1/4" x 82-1/2"
Unit	5'4"	66-9/16" x 82"	67-1/4" x 82-1/2"
	6'0"	74-9/16" x 82"	75-1/4" x 82-1/2"
Low Profile Sill		81-1/8"	81-5/8"

Outswing Door Systems

Description	Size	Actual Unit Size	Rough Opening
Single Door	2'0"	25-5/8" x 80-5/8"	26-1/2" x 81"
	2'4"	29-5/8" x 80-5/8"	30-1/2" x 81"
	2'6"	31-5/8" x 80-5/8"	32-1/2" x 81"
	2'8"	33-5/8" x 80-5/8"	34-1/2" x 81"
	2'10"	35-5/8" x 80-5/8"	36-1/2" x 81"
	3'0"	37-5/8" x 80-5/8"	38-1/2" x 81"
	3'6"	43-5/8" x 80-5/8"	44-1/2" x 81"
Double Door	5'0"	62-9/16" x 80-5/8"	63-1/4" x 81"
	5'4"	66-9/16" x 80-5/8"	67-1/4" x 81"
	6'0"	74-9/16" x 80-5/8"	75-1/4" x 81"
Low Profile Sill		81-1/8"	81-5/8"

Sidelites

Description	Size	Actual Unit Size	Rough Opening
Add actual unit	10"	11-1/2" x 82"	12" x 82-1/2"
size to door rough	12"	13-1/2" x 82"	14" x 82-1/2"
opening size for	14"	15-1/2" x 82"	16" x 82-1/2"
total rough	32"	33-1/2" x 82"	34-1/2" x 82-1/2"
opening	36"	37-1/2" x 82"	38-1/2" x 82-1/2"

Door w/Continuous or Boxed Sidelite(s) Systems-Inswing

Description	Size	Actual Unit Size	Rough Opening
w/(1) 12" Sidelite	2'8"	47-1/8" x 82"	48" x 82-1/2"
	3'0"	51-1/8" x 82"	52" x 82-1/2"
w/(1) 14" Sidelite	2'8"	49-1/8" x 82"	50" x 82-1/2"
	3'0"	53-1/8" x 82"	54" x 82-1/2"
w/(2) 12" Sidelites	2'8"	60-5/8" x 82"	61-1/2" x 82-1/2"
	3'0"	64-5/8" x 82"	65-1/2" x 82-1/2"
w/(2) 14" Sidelites	2'8"	64-5/8" x 82"	65-1/2" x 82-1/2"
	3'0"	68-5/8" x 82"	69-1/2" x 82-1/2"
Note: Outswing height dimensions -		80-5/8"	81"

***MDI supplies Continuous Head and Sill on all systems unless otherwise specified.**

Important Additional Information

- All dimensions are accurate only for full system door units using genuine Therma-Tru components.
- There is no allowance in any of the height dimensions for a carpet shim - please add accordingly.
- Brick openings are 2-3/4" wider and 1-1/2" higher than actual unit size.
- For 7' doors, add 4" to the actual unit size and rough opening height dimensions.
- Transom R.O.'s are 96" (except half rounds) - contact office for clad transom R.O.'s.
- Do not store prehung units outside.

Clad dimensions vary from above - contact office for actual unit dimensions.

Actual door sizes full width x 79-1/4" high.

Eight Foot Door Systems - Inswing

Description	Size	Actual Unit Size	Rough Opening
Single Door	2'0"	25-5/8" x 98"	26-1/2" x 98-1/2"
Unit	2'4"	29-5/8" x 98"	30-1/2" x 98-1/2"
	2'6"	31-5/8" x 98"	32-1/2" x 98-1/2"
	2'8"	33-5/8" x 98"	34-1/2" x 98-1/2"
	2'10"	35-5/8" x 98"	36-1/2" x 98-1/2"
	3'0"	37-5/8" x 98"	38-1/2" x 98-1/2"
	3'6"	43-5/8" x 98"	44-1/2" x 98-1/2"
Double Door	4'0"	50-9/16" x 98"	51-1/4" x 98-1/2"
	5'0"	62-9/16" x 98"	63-1/4" x 98-1/2"
	5'4"	66-9/16" x 98"	67-1/4" x 98-1/2"
	6'0"	74-9/16" x 98"	75-1/4" x 98-1/2"
Note - Outswing height dimensions		96-5/8"	97"
Low Profile Sill		98-1/2"	99"

Eight Foot Sidelites

Description	Size	Actual Unit Size	Rough Opening
Add actual unit	12"	13-9/16" x 98"	14" x 98-1/2"
size to door R.O.	14"	15-9/16" x 98"	16" x 98-1/2"

Fire Doors in Adjusta-Fit® 2 Frame



Description	Size	Actual Unit Size	Rough Opening
Single Unit	2'0"	27-11/32" x 82-23/32"	25-1/16" x 81-5/8"
	2'4"	31-11/32" x 82-23/32"	29-1/16" x 81-5/8"
	2'6"	33-11/32" x 82-23/32"	31-1/16" x 81-5/8"
	2'8"	35-11/32" x 82-23/32"	33-1/16" x 81-5/8"
	2'10"	37-11/32" x 82-23/32"	35-1/16" x 81-5/8"
	3'0"	39-11/32" x 82-23/32"	37-1/16" x 81-5/8"
	3'6"	45-11/32" x 82-23/32"	43-1/16" x 81-5/8"
Public Access Height		82-3/32"	81"
No Sill Height		81-19/32"	80-1/2"

All door systems include 4 9/16 Primed Jamb and Brickmoulding and Foam Filled Weatherstrip.



- Classic-Craft Door Systems also include Tru-Defense Adjustable Sill, Classic-Craft 5/8 Radius Zinc Dichromate Ball Bearing Hinges, and Security Strike Plate. Classic-Craft doors are bored at 2 3/8 backset, unless otherwise specified by customer.
- Fiber-Classic and Smooth-Star Door Systems also include Tru-Defense Adjustable Sill, Zinc Dichromate Ball Bearing Hinges and Security Strike Plate.
- Traditions Steel Door Systems also include Tru-Defense Adjustable Sill, Zinc Dichromate Plain Bearing Hinges and Security Strike Plate.
- MDI Series Steel Door Systems also include Fixed Sill (doors with sidelites will have Tru-Defense Adjustable Sill) and Zinc Dichromate Plain Bearing Hinges.

Handing Information

As with any fine exterior door system, Therma-Tru doors can be installed for right or left hand operation. When ordering a prehung unit, refer to door swing as determined from these illustrations.



Left-Handed Right-Handed
Outswing
(View from Outside Home)



Left-Handed Right-Handed
Inswing
(View from Inside Home)

For more information on what Millwork Distributors, Inc. has to offer, please visit

www.mdi-oshkosh.com



Therma-Tru - The Sign of Quality

- The most preferred brand of exterior doors by builders and remodelers
- Voted the most innovative company for fiberglass exterior entry and patio doors
- Widest selection of door styles and decorative glass options
- Full system warranties



For information and all the required forms, please visit www.mdi-oshkosh.com



Millwork Distributors, Inc.

2751 Universal Street
P.O. Box 2465
Oshkosh, WI 54903
920-235-8110
fax 920-233-3116

www.mdi-oshkosh.com



Supplied by:

